



1871 N GAFFEY STREET  
SUITE A & B  
SAN PEDRO CA 90731  
www.celprogen.com

Phone: 310 547 3975  
Fax: 310 547 2975  
Email: info@celprogen.com  
stemcells@celprogen.com

## DATA SHEET

### Human Osteocarcoma Cancer Cell Culture - Frozen Vial

<b>Catalog number:</b>	36049-49
<b>Description:</b>	Frozen Ampule (1.2 x 10 <sup>6</sup> cells) of 1 x 10 <sup>6</sup> Viable cells upon thawing, shipped with dry-ice. Also available in T25 and T75 tissue culture flask with plated cells, shipped at room temperature. The Clonal selected Human Osteocarcoma Cancer Cell Culture were derived from Osteosarcoma Tumor. They were maintained in Celprogen's Human Osteocarcoma Cancer Cell Culture Complete Growth Medium and sub-cultured every 24 to 48 hours on Human Osteocarcoma Cancer Cell Culture Extra-cellular Matrix.
<b>Source:</b>	Osteosarcoma Tumor
<b>Donors:</b>	All donors from which the Cells were derived were pre-screened; donors tested negative for the usual blood donation infectious disease panel (ABO/RH, Hepatitis B Surface Antigen, HIV1 and 2, Syphilis, hepatitis B Core, Human T Lymphocyte Virus 1 and 2, Hepatitis C Virus, Antibody Screen, Nucleic Amplification Test for HIV 1 HCV, West Nile Virus and Antibodies to Trypanosoma cruzi (the agent of Chagas disease).
<b>Storage Conditions:</b>	Liquid nitrogen vapor phase for frozen Ampule of Human Osteocarcoma Cancer Cell Culture. For plated cells in tissue culture flask, upon receipt of the cells wipe the flask with 70% ethanol and transfer to sterile tissue culture hood. In the tissue culture hood remove the media from the cells and wash the cells with 1X PBS sterile solution, for 2-3 minutes, remove the 1X PBS solution and then Trypsinize. After Trypsinization of the Cells neutralize the Trypsin with equal volume of Human Osteocarcoma Cancer Cell Culture Complete Growth Media with Serum and collect the Cell suspension in sterile conical centrifuge tube in the tissue culture hood. Centrifuge the cell suspension at 100g for 7 minutes in centrifuge. Plate cells 5x10 <sup>5</sup> cells per pre-coated flasks with Human Osteocarcoma Cancer Cell Culture Extra-cellular Matrix for Expansion in Human Osteocarcoma Cancer Cell Culture Complete Growth Medium.
<b>Positive Markers:</b>	1GFBP3, Oct 4, Alkaline Phosphatase
<b>Morphology &amp; Proliferation:</b>	Mixed population of cells with approximately 95% attached cells and the other 5.0% in suspension, need to change cell culture media every day after 48 hours of initial cell culture or when the media starts changing color to slight yellow from pink. Fast growing cell culture, change media with Celprogen's Human Osteocarcoma Cancer Cell Culture Complete Growth



1871 N GAFFEY STREET  
SUITE A & B  
SAN PEDRO CA 90731  
www.celprogen.com

Phone: 310 547 3975  
Fax: 310 547 2975  
Email: info@celprogen.com  
stemcells@celprogen.com

Medium with the appropriate Human Osteocarcinoma Cancer Cell Culture Extra-cellular Matrix. Temperature 37<sup>0</sup>C in 5% CO<sub>2</sub> humidified incubator.

**Sub-culturing:**

1. Thaw the vial with gentle agitation in a 37<sup>0</sup>C water bath or a dry 37<sup>0</sup>C shaking incubator. For water bath thawing keep the O-ring out of the water.
2. Remove the thawed vial and wipe with 70% ethanol. Then transfer to the tissue culture hood.
3. Transfer the vial contents to a sterile centrifuge tube, and gently add pre-warmed Human Osteocarcinoma Cancer Cell Culture Complete Growth Media to the centrifuge tube. Use additional Human Osteocarcinoma Cancer Cell Culture Complete Growth Media to rinse the vial and transfer the liquid to the centrifuge tube, repeat this once more to ensure you have all the cells transferred to the 10ml centrifuge tube. Centrifuge the cells at 100g for 7 minutes. Remove the supernatant and re-suspend the cell pellet in 500ul of Human Osteocarcinoma Cancer Cell Culture Complete Growth Medium.
4. Add the 500ul of cells to T75 flask pre-coated with Human Osteocarcinoma Cancer Cell Culture Extra-cellular Matrix with 10ml of Human Osteocarcinoma Cancer Cell Culture Complete Growth Medium.
5. Incubate the cells in the T75 flask at 37<sup>0</sup>C in a 5% CO<sub>2</sub> humidified incubator. Perform 100% Media Change every 24 to 48 hours.
6. Medium renewal every other day or 2-3 days, sub-culturing ratio: 1:2 or 1:3 depending on cell density.
7. Refer to protocols, flow diagrams and videos for more detail. <http://celprogen.com/tech.htm>

**Freezing Medium:** Available for purchase Cat# M 36049-49FM

**Trypsin:** Available for purchase Cat# T1509-014

**IX PBS:** Available for Purchase Cat# P1408-013

**Storage temperature:** Liquid nitrogen vapor phase

**Product Orders:** Before submitting an order you will be asked to read and accept the terms and conditions of Celprogen's Material Transfer Agreement (MTA).

**Permits/Forms:** In addition to the MTA mentioned above, other CELPROGEN and/or regulatory permits may be required for the transfer of this CELPROGEN material. Anyone purchasing CELPROGEN material is ultimately responsible for obtaining the permits.

**Notices**

**& Disclaimers:** *CELPROGEN products are intended for laboratory research purposes only. They are not intended for use in Humans.* The Product, Human Osteocarcinoma Cancer Cell Culture, is established and manufactured by CELPROGEN Inc., and is for Research Use Only. This product is not for re-sale or may not be transferred to a third party prior to written request and approval by CELPROGEN Inc.